# Device Dashboard

Navigation

The Device Dashboard can be accessed from the side navigation bar by clicking on 'Dashboard'.

NB : By default, the Sensor Dashboard is shown here. The Device Dashboard can only be viewed here if it is selected in the user settings. This can be done by editing users on the Users page.

Overview

On the Device Dashboard, information about your SMRTCloud devices will be displayed. Here you can view your device's status and probe readings. You can also control your device remotely.


Devices can be searched and filtered by status using the status drop down menu.

The Device Card

Here you can view your device information such as the device name, serial number and last synced time. The value currently displayed can be set in the device edit page under 'select display probe'.


Device status is indicated by the card color. This can be one of the following statuses:

- Normal - Green
- Alert - Red
- Offline - Black

If the device is currently in the alert state, the value will then change to display the type of the alert. The color of the card will also change to indicate this.

Parameter readings are also displayed here. These can be cycled through by clicking the arrow buttons.


The device's signal can be viewed here.

Device Configuration

Clicking on the top banner will route you to the Device Configuration page.

Device Controls

Clicking on the control icon will open the control menu.


Here you can remotely control your device to perform different functions.

Clicking the power button will turn the unit off/on.

Clicking the defrost button will set the unit to defrost. This will also be visually indicated on the device by the same icon.

Clicking on the continuous cycle button will set the unit to continuous cycle. This will also be visually indicated on the device by the same icon.