


Device Dashboard

Navigation


The Device Dashboard can be accessed from the side navigation bar by clicking on 'Dashboard'.

NB : By default, the Sensor Dashboard is shown here. The Device Dashboard can only be viewed here if it is selected in the user settings. This can be done by editing users on the Users page.




Overview

On the Device Dashboard, information about your SMRTCold devices will be displayed. Here you can view your device's status and probe readings. You can also control your device remotely.




Devices can be searched and filtered by status using the status drop down menu.



The Device Card

Here you can view your device information such as the device name, serial number and last synced time. The value currently displayed can be set in the device edit page under 'select display probe'.



Device status is indicated by the card color. This can be one of the following statuses:

- Normal - Green
- Alert - Red
- Offline - Black

If the device is currently in the alert state, the value will then change to display the type of the alert. The color of the card will also change to indicate this.

Parameter readings are also displayed here. These can be cycled through by clicking the arrow buttons.

The image shows a device dashboard card for 'SMRTCold' (IC20220804). At the top right, a battery icon is followed by '100%' in a grey pill. Below this, the temperature '27.0°C' is displayed in large green font, with 'Synced : Nov 23, 2023, 7:54:11 AM' underneath. To the right of the temperature is a grey pill with a refresh icon. Below the temperature, there are three rows of data: 'Regulation Probe' with '27.6°C', 'Defrost Probe' with '27.0°C', and 'Digital Input' with 'On'. The 'Defrost Probe' row has left and right arrow icons. The card has a green background.

The device's signal can be viewed here.

This image is identical to the one above, but a red rectangular box highlights the '100%' battery indicator in the top right corner.


Device Configuration

Clicking on the top banner will route you to the Device Configuration page.


This image is identical to the one above, but a red rectangular box highlights the top banner area, which includes the device name 'SMRTCold', the ID 'IC20220804', and the '100%' battery indicator.

Device Controls


Clicking on the control icon will open the control menu.




Here you can remotely control your device to perform different functions.




Clicking the power button will turn the unit off/on.



Clicking the defrost button will set the unit to defrost. This will also be visually indicated on the device by the same icon.



Clicking on the continuous cycle button will set the unit to continuous cycle. This will also be visually indicated on the device by the same icon.



From:
<https://docs.myfridgeonline.com/> - **MyFridgeOnline**

Permanent link:
https://docs.myfridgeonline.com/user_manual/dashboard/device_dashboard

Last update: **2025/05/01 12:14**

